

UNITED SPIRITS

A DIAGEO Group Company

United Spirits Limited
Survey No. 9-61,
Venkateswara Nagar,
Malkajgiri,
Hyderabad - 500 047

Tel : 040 - 48531880 / 48531876
www.unitedspirits.in

Date: 15.06.2024

To

The Environmental Engineer,
TSPCB Regional Office, Medchal Dist
Begumpet, Hyderabad.

Respected Sir,

Sub: Submission of Annual Returns in Form-4, for the period Jan 2023-Dec 2023 under Bio-Medical Waste Management Rules-2016 (subsequent amendments) - Regarding.

This is to bring to your kind notice that we are herewith submitting the Annual Returns in Form-4 under Bio-Medical Waste Management Rules-2016 and subsequent amendments for Bio-medical waste disposed from our facility to the authorized Common Bio medical waste treatment facility (CBMWTF) for the period January 2023 to December 2023.

Kindly acknowledge the receipt of the same.

Thanking you,


Yours Faithfully,

For United Spirits Limited

Unit – Malkajgiri

Authorized Signatory

UNITED SPIRITS LIMITED


Jaikrishna.K
General Manager-Manufacturing



From -IV
(See rule 13)
Annual Report

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	M/s United Spirits Ltd
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. K. JaiKrishna
	(ii) Name of HCF or CBMWTF	:	Occupational Health Centre
	(iii) Address for Correspondence	:	9-61, Venkateshwara Nagar, Malkajgiri, Medchal- Malkajgiri Dist. Telangana 500047
	(i) Address of Facility		Sy. No. 179 & 181, Edulapally (V), Nandigam Shad Nagar .Ranga Reddy
	(ii) Tel. No. Fax. No.	:	
	(V) E-mail ID	:	
	(i) URL of Website	:	
	(ii) GPS coordinates of HCF or CBMWTF		CBMWTF
	(iii) Ownership of HCF of CBMWTF		Private
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No.: 259/TSPCB/RO- MDC/MKI/BMWA/2024-840 Valid up to: 31/01/2029
	(v) Status of Consents under Water Act and Air Act.	:	Authorization No: 122-RR/II/TSPCB/ZOH/TS-IPASS/CFO/2021-620 Valid up to : 31/09/2031
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 01
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry.	:	-
3.	Details if CBMWTF	:	

	(i) Number healthcare facilities covered by CBMWTF	:	NA																																																
	(ii) No. of beds covered by CBMWTF	:	NA																																																
	(iii) Installed treatment and disposal capacity of CBMWTF	:	NA																																																
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	NA																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 26.21 Kgs /annum Red Category: 10.85 kgs/annum White: 0 kg/annum Blue Category: 0 kg/annum General Solid waste: 0 kg /annum																																																
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : -- Capacity: 0.3 cu. meter Provision of on-site storage : The Biomedical waste is stored in color coded bins in air conditioned rooms for not more than 48 hours																																																
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed In Kg per Annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Paralysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td>---</td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td>----</td> <td></td> </tr> <tr> <td>Deep Burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td>----</td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer		---		Sharps encapsulation or concrete pit		----		Deep Burial pits:				Chemical disinfection:		----		Any other treatment equipment:			
Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum																																																
Incinerators																																																			
Plasma Paralysis																																																			
Autoclaves																																																			
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer		---																																																	
Sharps encapsulation or concrete pit		----																																																	
Deep Burial pits:																																																			
Chemical disinfection:		----																																																	
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	NA																																																

	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	01
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Where disposal Incineration Ash: NA ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	G J Multiclave (India) Pvt. Ltd. Sy. No. 179 & 181, Edulapally (V), Nandigam Shad Nagar .Ranga Reddy .Telangana
	(vii) List of member HCF not handed over bio-medical waste.	:	NA
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	YES
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		2
	(ii) Number of personnel trained		
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far.		0
	(v) Whether standard manual for training is available ?		Yes
	(vi) Any other information)		Nil
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		NA
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NA
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		INCINERATOR NOT AVAILABLE WITH OUR ORGANIZATION. OUT SOURCED.
	Details of Continuous online emission monitoring systems installed		OUT SOURCED
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		NA


11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		Nil

Certified that the above report is for the period from January 2023 to December 2023

Date: Hyderabad
Place: 15-06-2024

Name and Signature of the Head of the Institution

UNITED SPIRITS LIMITED


Jaikrishna.K
General Manager-Manufacturing

UNITED SPIRITS

A DIAGEO Group Company

United Spirits Limited

Form

MRM MINUTES













Document No. USL/COM/F/33

Date of Issue 21/03/2019

Rev. No. 01

Page No. 1 of 4

Minutes of MRM

Date / Time From:	27 th September 2023 04:30 PM	Date / Time To	27 th September 2023 05:30 PM	
Facilitator/ Presided By:	Pavan Kumar / Jai Krishna		Jyothi Priya Ch	
Attendees:	Name	Signature	Name	Signature
Jai Krishna K	JAI KRISHNA K.		JAI KRISHNA K.	
Pavan Kumar P	P. PAVAN KUMAR		P. PAVAN KUMAR	
Vinod K P	Vinod Kumar .k.p		Vinod Kumar .k.p	
Jyothi Priya CH	CH. JYOTHI PRIYA		CH. JYOTHI PRIYA	
Satish Babu T	SATISH BABU		SATISH BABU	
Ratnakar G				
Dr. Navajeevan	B-Navajeevan		B-Navajeevan	

UNITED SPIRITS A DIAGEO Group Company		USL/COM/F/33	
United Spirits Limited		Document No.	21/03/2019
Form		Date of Issue	01
		Rev. No.	2 of 4
		Page No.	

MRM MINUTES

S. No.	Agenda	Outcome / Decision	Responsibility	Timeline	Status and Remarks
1	CONSERVATION/AUTHORISATION				
	Consent Compliance	Unit is complied for BMW consent submitted on 02.03.2019 valid up to 31.01.2024	Pavan Kumar P	31.01.2024	Start renewal process from Dec 1 st 2023
2.	DISPOSAL OF WASTE				
	Disposal of waste to authorized handler	The Bio-Medical waste is disposed to CBMWTF-GJ Multiclave who is authorized by PCB	Pavan Kumar P		Last Disposed on 6th Sept 2023 (60 grams)
3.	HEALTH CARE FACILITY CONDITION				
	Condition of health care facility	The health care facility is maintained with proper hygiene & required equipments	Pavan Kumar P	On Going	
4.	WASTE BINS				
	Availability of bins as per the requirement	Designated bins are available for the different types of waste as per the BMW rules	Ratnakar G		Closed
5.	AUTHORISED PERSON FOR HANDLING BIO-MEDICAL WASTE				
	Availability of authorized person for handling of Bio-Medical waste	Authorized person available for handling of Bio-Medical waste	Dr. Navejeevan		K. Ramesh Babu, Y. Bhavani are the authorized persons

UNITED SPIRITS A BIAGFC Group Company		MRM MINUTES		Document No.	USL/COM/F/33
United Spirits Limited				Date of Issue	21/03/2019
Form				Rev. No.	01
				Page No.	3 of 4

S. No.	Agenda	Outcome / Decision	Responsibility	Timeline	Status and Remarks
6.	TRAINING FOR WASTE HANDLING				
	Imparting of training for proper handling of Bio-Medical waste	Proper training given to the responsible person for handling of Bio-Medical waste ✓	Pavan Kumar P		Training conducted on handling of BMW
7.	HANDLING OF WASTE				
	Availability & usage of PPE by the person handling Bio-Medical waste	Required PPE available & used by the person handling Bio-Medical waste ✓	Dr. Navajeevan		Shoes, Gloves, mask, Goggles, Apron issued to the concern person ✓
8.	ROL (LEGATRIX) AND ROR				
	Any changes in Legislation and Regulation	No Regulatory changes ✓	Pavan Kumar P	On Going	
	Status of Compliance level assessment	All task specified under Legatrix portal complied to complete the task on time. ✓			

UNITED SPIRITS A DIAGEO Group Company		MRM MINUTES		Document No.	USL/COM/F/33
United Spirits Limited				Date of Issue	21/03/2019
Form				Rev. No.	01
				Page No.	4 of 4

S. No.	Agenda	Outcome / Decision	Responsibility	Timeline	Status and Remarks
9.	ASPECT & IMPACT				
	Change in any Process, Technology, Activity and Services	No Change in process	Jyothi Priya CH	As and when required	
10.	Concerns from external interested parties	No issues from any external parties	Pavan Kumar P		Closed
11.	Concentrators	Oxygen Concentrators Maintenance need to be monitored	Dr. Navajeevan		Last Inspection date on 15-08-2023
12.	Medicines	Medicines Stock inventory replenishment need to be informed at least 1 month Priority	Dr. Navajeevan		Closed

Circulated To: Site Management team members.

Prepared By: Pavan Kumar P
Date: 27th September 2023

Approved By: Jai Krishna K
Date: 27th September 2023

CLASS-I

Paper copies of this document are for REFERENCE ONLY - The current LIVE version is available on the QA Portal / Zero Harm