

UNITED SPIRITS

A DIAGEO Group Company

United Spirits Limited

G. T. Road (West), Kumarpur

P.O. : Asansol

Burdwan - 713304

Tel. (O) : 0341-2252217

www.unitedspirits.in

WBPCB/USL/BMW-AD/986

Date: 19.06.2024

To,

The Environmental Engineer,

Waste Management Division,
West Bengal Pollution Control Board,
Paribesh Bhawan, Bldg 10A, Block – LA
Salt Lake City, Sector – III
Kolkata, 700106

Sub: Submission of Annual Report in FORM-IV for Bio-Medical Wastes Management

Dear Sir,

This is to bring to your kind notice that we are submitting the Annual Return in Form-IV for CY 1st Jan'2023 to 31st Dec'2023, towards Bio-Medical Wastes Management practices in our plant, as per the requirement of "Bio-Medical Wastes Management Rules, 2016 and its subsequent amendments.

The copy of the submitted online form is attached herewith for your information and record please.

Request for your review and oblige.

Thanking you.

Yours Faithfully,

For, United Spirits Limited.

Authorized Signatory

Bimal Kumar Gupta

General Manager



Enc:

FORM-IV copy (5382517)

CC: The Environmental Engineer,
West Bengal Pollution Control Board, Kalyanpur Satellite Township Project, Dr. B. C. Roy
Road, Dakhin Dhadka, Asansol, Paschim Bardhaman, West Bengal- 713302

Form IV
(See Rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 5382517

Period : 2023

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	UNITED SPIRITS LIMITED
(ii) Name of HCF or CBMWTF:	UNITED SPIRITS LIMITED
(iii) Address for Correspondence:	M/S UNITED SPIRITS LIMITED, G.T. ROAD (WEST), KUMARPUR, ASANSOL, PASCHIM BARDHAMAN, WB-713304
(iv) Address of Facility:	M/s. UNITED SPIRITS LIMITED, G.T. ROAD (WEST), KUMARPUR, ASANSOL, PASCHIM BARDHAMAN, WB-713304
(v) Tel. No.:	9836376760
(vi) Fax. No.:	-
(vii) E-mail ID:	sanjay.tiwari@diageo.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 628/WPBA/Bio-Med/Auth(175)/BWN/2018 Valid Upto: 28/02/2023
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 31/01/2029
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds(for Bedded Hospital):	0.0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Occupational Health Centre
(iii) Licence Number:	0
(iv) Licence date of expiry:	
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 3.1 Red Category: 0.0 White Category: 0.0 Blue Category: 0.0 General Solid Waste: 0.0
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 0.0 Capacity: 5 Provision of on-site storage: Collected in Non-chlorinated colour bags and then stored in designated paddle bins as per the requirement BMW Management Rules, 2016

(ii) Disposal Facility:	<table border="1"> <thead> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity (Kg/day)</th> <th>Quantity Treated or Disposed (Kg/annum)</th> </tr> </thead> <tbody> <tr> <td colspan="4" style="text-align: center;"><i>List is Empty</i></td> </tr> </tbody> </table>	Type of Treatment Equipment	Number of Units	Capacity (Kg/day)	Quantity Treated or Disposed (Kg/annum)	<i>List is Empty</i>			
	Type of Treatment Equipment	Number of Units	Capacity (Kg/day)	Quantity Treated or Disposed (Kg/annum)					
<i>List is Empty</i>									
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0								
(iv) No of vehicles used for collection and transportation of BMW:	0.0								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;"><i>List is Empty</i></td> </tr> </tbody> </table>	Type of waste	Quantity Generated	Where disposal	<i>List is Empty</i>				
	Type of waste	Quantity Generated	Where disposal						
<i>List is Empty</i>									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	<i>Sold out to M/s Medicare Environmental Management Private Limited for common disposal facility of biomedical waste generated here with.</i>								
5. Do you have BMW management committee:	<i>yes</i>								
details:	<i>OHC is managed by qualified doctor under the guidance of senior management team.</i>								
6. Training Conducted on BMW Details									
(i) Number of training conducted on BMW Management:	<i>2</i>								
(ii) Number of personnel trained:	<i>2</i>								
(iii) Number of personnel trained at the time of induction:	<i>2</i>								
(iv) Number of personnel not undergone any training so far:	<i>0</i>								
(v) Whether standard manual for training is available:	<i>yes</i>								
(vi) Any other information:	<i>Training imparted to all medical and paramedical staffs concerned. Bio-medical Wastes Management Rules 2016, subsequent amendment and CPCB guidelines are referred for training.</i>								
7. Details of the accident occurred									
(i) No. of accident occurred:	<i>0</i>								
(ii) Number of the persons affected:	<i>0</i>								
(iii) Remedial Action taken:	<i>NA</i>								
(iv) Any Fatality occurred, details:	<i>NA</i>								
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	<i>NA</i>								
Details of Continuous online emission monitoring systems installed:	<i>NA</i>								
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	<i>No as such liquid generated from our HCF facility. Hence, no Treatment facility has been installed for the same.</i>								
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	<i>No as such liquid generated from our HCF facility. Hence, no Treatment facility has been installed for the same.</i>								
11. Any other relevant information:	<i>NO</i>								

Name and Signature of the Head of the Institution



Date :19/06/2024

Place : Paschim Bardhaman